

**Trade name:** JET 5**Product no.:** SY 042 C1255/UK**Current version :** 3.0.1, issued: 15.07.2024**Replaced version:** 3.0.0, issued: 15.01.2024**Region:** GB**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier****Trade name****JET 5****UFI:****1MK3-90YK-1006-0MRU****1.2 Relevant identified uses of the substance or mixture and uses advised against****Relevant identified uses of the substance or mixture**

Plant protection product

Disinfectant

**Uses advised against**

No data available.

**1.3 Details of the supplier of the safety data sheet****Address**

Certis Belchim B.V. (EU)

Stadsplateau 16

3521 AZ Utrecht - Nederland

Telephone no. 0031 (0)30 200 1200

Fax no. 0031 (0)30 310 0241

e-mail [info@certisbelchim.com](mailto:info@certisbelchim.com)**Advice on Safety Data Sheet**[www.certisbelchim.com](http://www.certisbelchim.com)**Identification of the supplier****Address**

Certis Belchim B.V. - United Kingdom

Suite 5, 3 Riverside, Granta Park - Great Abington

Cambridgeshire CB21 6AD

United Kingdom

Telephone no. 0044 (0) 1223 652500

Fax no. 0044 (0)1223 891210

e-mail [info.uk@certisbelchim.com](mailto:info.uk@certisbelchim.com) - [www.certisbelchim.co.uk](http://www.certisbelchim.co.uk)**1.4 Emergency telephone number**

Carechem 24 EU: +44 1235 239670

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****Classification in accordance with Regulation (EC) No 1272/2008 (CLP)**

Acute Tox. 4; H302

Acute Tox. 4; H312

Acute Tox. 4; H332

Aquatic Chronic 1; H410

Eye Dam. 1; H318

Met. Corr. 1; H290

Ox. Liq. 2; H272

Skin Corr. 1B; H314

STOT SE 3; H335

**Classification information**

Classification and labelling are based on toxicological studies performed on the product (mixture).

**Trade name:** JET 5**Product no.:** SY 042 C1255/UK**Current version :** 3.0.1, issued: 15.07.2024**Replaced version:** 3.0.0, issued: 15.01.2024**Region:** GB

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

## 2.2 Label elements

### Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

#### Hazard pictograms



GHS03



GHS05



GHS07



GHS09

#### Signal word

Danger

#### Hazardous component(s) to be indicated on label:

peracetic acid . . . %

#### Hazard statement(s)

H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H302+H312+H332	Harmful if swallowed, in contact with skin or if inhaled
H314	Causes severe skin burns and eye damage.
H335	May cause respiratory irritation.
H410	Very toxic to aquatic life with long lasting effects.

#### Precautionary statement(s)

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P220	Keep away from clothing and other combustible materials.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P310	Immediately call a POISON CENTER/doctor.
P370+P378	In case of fire: Use water spray to extinguish.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P391	Collect spillage.

#### UFI:

1MK3-90YK-1006-0MRU

## 2.3 Other hazards

#### PBT assessment

The components of this product are not considered to be a PBT.

#### vPvB assessment

The components of this product are not considered to be a vPvB.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not applicable. The product is not a substance.

### 3.2 Mixtures

#### Chemical characterization

Hydrogen peroxide + peracetic acid 210 + 55 g/l (SL)

#### Hazardous ingredients

**Trade name:** JET 5**Product no.:** SY 042 C1255/UK**Current version :** 3.0.1, issued: 15.07.2024**Replaced version:** 3.0.0, issued: 15.01.2024**Region:** GB

No	Substance name	Additional information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration
			%
1	<b>hydrogen peroxide solution</b>		
	7722-84-1 231-765-0 008-003-00-9 01-2119485845-22	Acute Tox. 4; H302 Acute Tox. 4; H332 Ox. Liq. 1; H271 Skin Corr. 1A; H314 Aquatic Chronic 3; H412 Eye Dam. 1; H318 STOT SE 3; H335	>= 10.00 - < 25.00 wt%
2	<b>Acetic acid</b>		
	64-19-7 200-580-7 607-002-00-6 -	Flam. Liq. 3; H226 Skin Corr. 1A; H314 Eye Dam. 1; H318	>= 10.00 - < 25.00 wt%
3	<b>peracetic acid . . . %</b>		<b>pls. refer to footnote (1)</b>
	79-21-0 201-186-8 607-094-00-8 -	Acute Tox. 4*; H302 Acute Tox. 4; H312 Acute Tox. 4*; H332 Flam. Liq. 3; H226 Org. Perox. D; H242 Skin Corr. 1A; H314 Eye Dam. 1; H318 STOT SE 3; H335 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	< 5.00 wt%
4	<b>Alcohols, C9-11, ethoxylated</b>		
	68439-46-3 - - -	Acute Tox. 4; H302 Eye Dam. 1; H318	< 5.00 wt%

Full Text for all H-phrases and EUH-phrases: pls. see section 16

(\*, \*\*, \*\*\*, \*\*\*\*) Detailed explanation pls. refer to CLP regulation No. 1272/2008, annex VI, 1.2

(1) Aberrant from/in addition to the classification set out in Annex VI, this substance is classified according to European Regulation (EC) No 1272/2008 (CLP), Article 4 (3), paragraph 2.

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	B	Eye Irrit. 2; H319: C >= 5% Eye Dam. 1; H318: C >= 8% Skin Irrit. 2; H315: C >= 35% STOT SE 3; H335: C >= 35% Skin Corr. 1B; H314: C >= 50% Ox. Liq. 2; H272: C >= 50% Aquatic Chronic 3; H412: C >= 63% Ox. Liq. 1; H271: C >= 70% Skin Corr. 1A; H314: C >= 70%	-	-
2	B	Skin Irrit. 2; H315: C >= 10% Eye Irrit. 2; H319: C >= 10% Skin Corr. 1B; H314: C >= 25% Eye Dam. 1; H318: C >= 25% Eye Dam. 1; H318: C >= 90% Skin Corr. 1A; H314: C >= 90%	-	-
3	-	STOT SE 3; H335: C >= 1%	M = 1	M = 10

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

<b>Acute toxicity estimate (ATE) values</b>			
No	oral	dermal	inhalative
1	693,7 mg/kg bodyweight		
3	652 mg/kg bodyweight	1,957 mg/kg bodyweight	

**Trade name:** JET 5**Product no.:** SY 042 C1255/UK**Current version :** 3.0.1, issued: 15.07.2024**Replaced version:** 3.0.0, issued: 15.01.2024**Region:** GB

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General information

If medical advice is needed, have product container or label at hand.

#### After inhalation

Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

#### After skin contact

Take off immediately all contaminated clothing. If the clothing sticks to the skin: first rinse the clothing and skin with plenty of water and only then take them off. Wash with plenty of water and soap for at least 15 minutes. If possible, wear protective gloves when administering first aid. Avoid contact with contaminated clothing and shoes. Immediately call a POISON CENTER or doctor/physician. Wash contaminated clothing before reuse. If possible, wear protective gloves when administering first aid. Avoid contact with contaminated clothing and shoes.

#### After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Rinse AWAY from the unaffected eye. Immediately call a POISON CENTER or doctor/physician.

#### After ingestion

Rinse mouth. Do NOT induce vomiting. If possible, wear protective gloves when administering first aid. Avoid direct contact with contaminated clothing, shoes and vomit. Immediately call the emergency number 112

### 4.2 Most important symptoms and effects, both acute and delayed

#### Symptoms

blindness; Pneumonitis; Pulmonary edema; Nosebleeds; chronic bronchitis

#### Effects

Perforation possible for esophagus and stomach after swallowing.

### 4.3 Indication of any immediate medical attention and special treatment needed

Take victim immediately to hospital. Immediate medical attention is required. Consult with an ophthalmologist immediately in all cases. Burns must be treated by a physician. If swallowed: Avoid gastric lavage (risk of perforation). Keep under medical supervision for at least 48 hours.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Alcohol-resistant foam; Carbon dioxide; Extinguishing powder; Water spray jet

#### Unsuitable extinguishing media

High power water jet

### 5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon dioxide (CO<sub>2</sub>); Carbon monoxide (CO); chlorine compounds; Nitrogen oxides (NO<sub>x</sub>)

### 5.3 Advice for firefighters

Fire-fighting operations, rescue and clearing work under effect of combustion and smoulder gases just may be done with breathing apparatus. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations. Wear protective clothing.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Ensure adequate ventilation.

#### For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

**Trade name:** JET 5**Product no.:** SY 042 C1255/UK**Current version :** 3.0.1, issued: 15.07.2024**Replaced version:** 3.0.0, issued: 15.01.2024**Region:** GB**6.2 Environmental precautions**

Do not discharge into the drains/surface waters/groundwater. Do not discharge uncontrolled into the subsoil/soil.

**6.3 Methods and material for containment and cleaning up**

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). When collected, handle material as described under the section heading "Disposal considerations".

**6.4 Reference to other sections**

Information regarding waste disposal, see section 13. Information regarding personal protective measures, see section 8. Information regarding safe handling, see section 7.

**SECTION 7: Handling and storage****7.1 Precautions for safe handling****Advice on safe handling**

No special measures necessary if stored and handled as prescribed. Provide good ventilation at the work area (local exhaust ventilation, if necessary). The product should only be used in areas from which all naked lights and other sources of ignition have been excluded.

**General protective and hygiene measures**

Keep away from foodstuffs and beverages. Wash hands before breaks and after work. Do not eat, drink or smoke during work time. Remove soiled or soaked clothing immediately. Do not inhale vapours. Have emergency shower available. Provide eye wash fountain in work area.

**Advice on protection against fire and explosion**

Keep away from sources of heat and ignition.

**7.2 Conditions for safe storage, including any incompatibilities****Technical measures and storage conditions**

Keep container tightly closed and dry in a cool, well-ventilated place. Keep from freezing. Protect from heat and direct sunlight. Prevent unauthorised access.

**Requirements for storage rooms and vessels**

Containers which are opened must be carefully closed and kept upright to prevent leakage. Keep only in the original container. Protect from heat and direct sunlight.

**Incompatible products**

Do not store together with foodstuffs. Do not store together with: organic materials

**7.3 Specific end use(s)****Industry solution**

Always read the label and product information before use.

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Occupational exposure limit values**

No	Substance name	CAS no.	EC no.
1	hydrogen peroxide solution	7722-84-1	231-765-0
	<b>List of approved workplace exposure limits (WELs) / EH40</b>		
	Hydrogen peroxide		
	WEL short-term (15 min reference period)	2.8	mg/m <sup>3</sup> 2 ppm
	WEL long-term (8-hr TWA reference period)	1.4	mg/m <sup>3</sup> 1 ppm
2	Acetic acid	64-19-7	200-580-7
	<b>2017/164/EU</b>		
	Acetic acid		
	WEL short-term (15 min reference period)	50	mg/m <sup>3</sup> 20 ppm
	WEL long-term (8-hr TWA reference period)	25	mg/m <sup>3</sup> 10 ppm
	<b>List of approved workplace exposure limits (WELs) / EH40</b>		
	Acetic acid		

**Trade name:** JET 5**Product no.:** SY 042 C1255/UK**Current version :** 3.0.1, issued: 15.07.2024**Replaced version:** 3.0.0, issued: 15.01.2024**Region:** GB

WEL short-term (15 min reference period)	50	mg/m <sup>3</sup>	20	ppm
WEL long-term (8-hr TWA reference period)	25	mg/m <sup>3</sup>	10	ppm

**DNEL, DMEL and PNEC values****DNEL values (worker)**

No	Substance name	CAS / EC no	
	Route of exposure	Exposure time	Effect
	Value		
1	hydrogen peroxide solution		
	7722-84-1 231-765-0		
	inhalative	Short term (acute)	local
			3 mg/m <sup>3</sup>
	inhalative	Long term (chronic)	local
			1.4 mg/m <sup>3</sup>

**DNEL value (consumer)**

No	Substance name	CAS / EC no	
	Route of exposure	Exposure time	Effect
	Value		
1	hydrogen peroxide solution		
	7722-84-1 231-765-0		
	inhalative	Short term (acute)	local
			1.93 mg/m <sup>3</sup>
	inhalative	Long term (chronic)	local
			0.21 mg/m <sup>3</sup>

**PNEC values**

No	Substance name	CAS / EC no	
	ecological compartment	Type	Value
1	hydrogen peroxide solution		
	7722-84-1 231-765-0		
	water	fresh water	0.013 mg/L
	water	marine water	0.013 mg/L
	water	fresh water sediment	0.047 mg/kg dry weight
	soil	-	0.002 mg/kg dry weight
	sewage treatment plant	-	4.66 mg/L

**8.2 Exposure controls****Appropriate engineering controls**

Ensure adequate ventilation, local exhaust at the work station if necessary.

**Personal protective equipment****Respiratory protection**

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified. Respiratory protection with steam filter (EN 141)

Respiratory filter (gas) : ABEK-P2

**Eye / face protection**

Safety glasses (EN 166); If splashes are likely to occur, wear: Tightly fitting safety goggles. Face-shield.

**Hand protection**

In case of intensive contact, wear protective gloves (EN 374). Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties).

Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material butyl rubber

Material thickness 0.4 mm

Breakthrough time >= 480 mm

**Other**

Chemical-resistant work clothes. Rubber boots. (EN 13832-3/EN ISO 20345); Hygiene measures: Ensure that eyewash stations and safety showers are close to the workstation location.

**Environmental exposure controls**

No data available.

**Trade name:** JET 5**Product no.:** SY 042 C1255/UK**Current version :** 3.0.1, issued: 15.07.2024**Replaced version:** 3.0.0, issued: 15.01.2024**Region:** GB**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties**

<b>State of aggregation</b>	
liquid	
<b>Form</b>	
liquid	
<b>Colour</b>	
colourless	
<b>Odour</b>	
acid	
<b>pH value</b>	
Value	< 2.0
<b>Boiling point / boiling range</b>	
Value	105 °C
<b>Melting point/freezing point</b>	
Value	appr. -42 °C
Method	Calculation method
<b>Decomposition temperature</b>	
Value	>= 60 °C
Comments	Temperature of self-accelerating decomposition (SADT)
<b>Flash point</b>	
Method	closed cup
<b>Ignition temperature</b>	
No data available	
<b>Oxidising properties</b>	
Ox. Liq. 2	
Oxidizing agents	
<b>Explosive properties</b>	
The product does not have explosive properties.	
<b>Flammability</b>	
No data available	
<b>Lower explosion limit</b>	
No data available	
<b>Upper explosion limit</b>	
No data available	
<b>Vapour pressure</b>	
Value	appr. 32 hPa
Reference temperature	25 °C
Method	calculated
<b>Relative vapour density</b>	
No data available	
<b>Relative density</b>	
Value	1.1
<b>Density</b>	
No data available	
<b>Solubility in water</b>	
Source	manufacturer

**Trade name:** JET 5**Product no.:** SY 042 C1255/UK**Current version :** 3.0.1, issued: 15.07.2024**Replaced version:** 3.0.0, issued: 15.01.2024**Region:** GB

Comments	Completely miscible
----------	---------------------

<b>Solubility</b>
No data available

<b>Soluble in</b>
aromatic solvents; organic solvents

<b>Partition coefficient n-octanol/water (log value)</b>			
No	Substance name	CAS no.	EC no.
1	hydrogen peroxide solution	7722-84-1	231-765-0
log Pow		-1.57	
Reference temperature		20	°C
Source		ECHA	

<b>Kinematic viscosity</b>
No data available

<b>Particle characteristics</b>
No data available

**9.2 Other information**

<b>Other information</b>
Corrosive to metals

**SECTION 10: Stability and reactivity****10.1 Reactivity**

Decomposition on heating. Heating may cause a fire. Potential for Exothermic hazard.

**10.2 Chemical stability**

Stable under recommended storage and handling conditions (See section 7).

**10.3 Possibility of hazardous reactions**

Possibility of explosion when heated in confinement.

**10.4 Conditions to avoid**

Do not overheat to avoid thermal decomposition.

**10.5 Incompatible materials**

Oxidizing agents; Metals; Reducing agents; Bases; Acids; organic materials; combustible materials

**10.6 Hazardous decomposition products**

Oxygen

**SECTION 11: Toxicological information****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

<b>Acute oral toxicity</b>			
No	Product Name		
1	JET 5		
LD50		1922	mg/kg
Species		rat	
Source		manufacturer	
Comments		Analogous to a product with a similar composition.	

<b>Acute dermal toxicity (result of the ATE calculation for the mixture)</b>			
No	Product Name		
1	JET 5		
			mg/kg

<b>Acute dermal toxicity</b>			
No	Product Name		



**Trade name:** JET 5**Product no.:** SY 042 C1255/UK**Current version :** 3.0.1, issued: 15.07.2024**Replaced version:** 3.0.0, issued: 15.01.2024**Region:** GB

1		JET 5	
LD50		1147	mg/kg
Species	rabbit		
Source	manufacturer		
Comments	Analogous to product with a similar composition.		

Acute inhalational toxicity			
No	Product Name		
1	JET 5		
LC50		4	mg/l
Duration of exposure		4	h
State of aggregation	Dust/mist		
Species	rat		

Skin corrosion/irritation			
No	Product Name		
1	JET 5		
Species	rabbit		
Source	manufacturer		
Evaluation	corrosive		

Serious eye damage/irritation			
No	Product Name		
1	JET 5		
Species	rabbit		
Source	manufacturer		
Evaluation	corrosive		

Respiratory or skin sensitisation			
No	Product Name		
1	JET 5		
Route of exposure	Skin		
Species	guinea pig		
Source	manufacturer		
Evaluation	non-sensitizing		

Germ cell mutagenicity			
No	Product Name		
1	JET 5		
Source	manufacturer		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Reproduction toxicity			
No	Product Name		
1	JET 5		
Source	manufacturer		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Carcinogenicity			
No data available			

STOT - single exposure			
No	Product Name		
1	JET 5		
Source	manufacturer		
Evaluation/classification	Based on available data, the classification criteria are met.		

STOT - repeated exposure			
No	Product Name		
1	JET 5		
Source	manufacturer		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Aspiration hazard			

**Trade name:** JET 5**Product no.:** SY 042 C1255/UK**Current version :** 3.0.1, issued: 15.07.2024**Replaced version:** 3.0.0, issued: 15.01.2024**Region:** GB

No data available

**11.2 Information on other hazards****Endocrine disrupting properties**

No data available.

**Other information**

No data available.

**SECTION 12: Ecological information****12.1 Toxicity**

<b>Toxicity to fish (acute)</b>			
No	Substance name	CAS no.	EC no.
1	hydrogen peroxide solution	7722-84-1	231-765-0
LC50		16.4	mg/l
Duration of exposure		96	h
Species	Pimephales promelas		
Method	EPA		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
2	peracetic acid . . . %	79-21-0	201-186-8
LC50		1.1	mg/l
Duration of exposure		96	h
Species	Lepomis macrochirus		
Source	manufacturer		

<b>Toxicity to fish (chronic)</b>			
No	Substance name	CAS no.	EC no.
1	peracetic acid . . . %	79-21-0	201-186-8
NOEC		0.00094	mg/l
Duration of exposure		33	day(s)
Species	Danio rerio		
Source	manufacturer		

<b>Toxicity to Daphnia (acute)</b>			
No	Substance name	CAS no.	EC no.
1	hydrogen peroxide solution	7722-84-1	231-765-0
EC50		2.4	mg/l
Duration of exposure		48	h
Species	Daphnia pulex		
Method	EPA		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
2	peracetic acid . . . %	79-21-0	201-186-8
EC50		0.73	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Source	manufacturer		

<b>Toxicity to Daphnia (chronic)</b>			
No data available			

<b>Toxicity to algae (acute)</b>			
No	Substance name	CAS no.	EC no.
1	hydrogen peroxide solution	7722-84-1	231-765-0
EC50		1.38	mg/l
Duration of exposure		72	h
Species	Skeletonema costatum		
with reference to	35% Solution		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

**Trade name:** JET 5**Product no.:** SY 042 C1255/UK**Current version :** 3.0.1, issued: 15.07.2024**Replaced version:** 3.0.0, issued: 15.01.2024**Region:** GB

2	peracetic acid . . . %	79-21-0	201-186-8
EC50		0.16	mg/l
Duration of exposure		72	h
Species	Pseudokirchneriella subcapitata		
Source	manufacturer		

Toxicity to algae (chronic)			
No	Substance name	CAS no.	EC no.
1	hydrogen peroxide solution	7722-84-1	231-765-0
NOEC		0.63	mg/l
Duration of exposure		72	h
Species	Skeletonema costatum		
Method	OECD 201		
Source	ECHA		

Bacteria toxicity	
No data available	

**12.2 Persistence and degradability**

Biodegradability			
No	Substance name	CAS no.	EC no.
1	hydrogen peroxide solution	7722-84-1	231-765-0
Type	aerobic biodegradation		
Value	>	99	%
Duration		30	min
Source	ECHA		
Evaluation	readily biodegradable		

**12.3 Bioaccumulative potential**

Partition coefficient n-octanol/water (log value)			
No	Substance name	CAS no.	EC no.
1	hydrogen peroxide solution	7722-84-1	231-765-0
log Pow		-1.57	
Reference temperature		20	°C
Source	ECHA		

**12.4 Mobility in soil**

Mobility in soil			
No	Substance name	CAS no.	EC no.
1	hydrogen peroxide solution	7722-84-1	231-765-0
log Koc		0.2	
Method	Structure-activity relationships (SAR) Unpublished research		
Source	manufacturer		

**12.5 Results of PBT and vPvB assessment**

Results of PBT and vPvB assessment	
PBT assessment	The components of this product are not considered to be a PBT.
vPvB assessment	The components of this product are not considered to be a vPvB.

**12.6 Endocrine disrupting properties**

No data available.

**12.7 Other adverse effects**

No data available.

**12.8 Other information**

Other information	
Do not discharge product uncontrolled into the environment.	

**SECTION 13: Disposal considerations****13.1 Waste treatment methods**

**Trade name:** JET 5**Product no.:** SY 042 C1255/UK**Current version :** 3.0.1, issued: 15.07.2024**Replaced version:** 3.0.0, issued: 15.01.2024**Region:** GB**Product**

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

**Packaging**

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

**SECTION 14: Transport information****14.1 UN number or ID number**

<b>ADR/RID/ADN</b>	UN3149
<b>IMDG</b>	UN3149
<b>ICAO-TI / IATA</b>	UN3149

**14.2 UN proper shipping name**

<b>ADR/RID/ADN</b>	HYDROGEN PEROXIDE AND PEROXYACETIC ACID MIXTURE, STABILIZED
<b>IMDG</b>	HYDROGEN PEROXIDE AND PEROXYACETIC ACID MIXTURE, STABILIZED
<b>ICAO-TI / IATA</b>	Hydrogen peroxide and peroxyacetic acid mixture, stabilized

**14.3 Transport hazard class(es)**

<b>ADR/RID/ADN - Class</b>	5.1
Label	5.1+8
Classification code	OC1
Tunnel restriction code	E
Hazard identification no.	58
<b>IMDG - Class</b>	5.1
Subsidiary Risk	8
Label	5.1+8
<b>ICAO-TI / IATA - Class</b>	5.1
Subrisk	8
Label	5.1+8

**14.4 Packing group**

<b>ADR/RID/ADN</b>	II
<b>IMDG</b>	II
<b>ICAO-TI / IATA</b>	II

**14.5 Environmental hazards**

EmS	F-H, S-Q
-----	----------

**14.6 Special precautions for user**

No data available.

**14.7 Maritime transport in bulk according to IMO instruments**

Not relevant

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulations****Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)**

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

**REACH candidate list of substances of very high concern (SVHC) for authorisation**

**Trade name:** JET 5**Product no.:** SY 042 C1255/UK**Current version :** 3.0.1, issued: 15.07.2024**Replaced version:** 3.0.0, issued: 15.01.2024**Region:** GB

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

**Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES**

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII. No 3

The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

No	Substance name	CAS no.	EC no.	No
1	Acetic acid	64-19-7	200-580-7	75
2	hydrogen peroxide solution	7722-84-1	231-765-0	75
3	peracetic acid . . . %	79-21-0	201-186-8	75

**Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances**

This product is subject to Part I of Annex I, risk category: E1, P8

If the properties of the substance/product give rise to more than one classification, for the purposes of 2012/18/UE, the lowest qualifying quantities set out in Part 1 and Part 2 of Annex I shall apply.

**Other regulations**

Adhere to the national sanitary and occupational safety regulations when using this product.

**National regulations**

**Other regulations**

REGULATION (EU) 2019/1148 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 20 June 2019 on the marketing and use of explosives precursors, amending Regulation (EC) No 1907/2006 and repealing Regulation (EU) No 98/2013

**15.2 Chemical safety assessment**

A chemical safety assessment has not been carried out for this mixture.

**SECTION 16: Other information**

**Sources of key data used to compile the data sheet:**

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

**Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)**

H226	Flammable liquid and vapour.
H242	Heating may cause a fire.
H271	May cause fire or explosion; strong oxidiser.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H412	Harmful to aquatic life with long lasting effects.

**Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)**

**B** Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

---

**Trade name:** JET 5

**Product no.:** SY 042 C1255/UK

**Current version :** 3.0.1, issued: 15.07.2024

**Replaced version:** 3.0.0, issued: 15.01.2024

**Region:** GB

---

**Creation of the safety data sheet**

UMCO GmbH

Georg-Wilhelm-Str. 187, D-21107 Hamburg

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: [umco@umco.de](mailto:umco@umco.de)

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 755694