



**DE SANGOSSE**

## Spray Enhancers

### Activator 90



**What is it?**

A non-ionic wetting agent.

**ADJ No.**

0547

**Hazard Warnings**

H302: Harmful if swallowed.  
H318: Causes serious eye damage.

**Formulation**

An emulsifiable concentrate containing 750 g/kg alcohol ethoxylates and 150 g/kg natural fatty acids.





**DE SANGOSSE**

## Spray Enhancers

### Activator 90



#### Main Recommendations

Activator 90 can be used with all approved pesticides which have a recommendation for use with a non-ionic wetter.

Activator 90 may be used at a maximum concentration of 0.1% on the following crops, up to the growth stages specified, with all approved pesticides applied up to their full approved rate.

Crop	Growth stages before which Activator 90 may be used with approved pesticides
Cereals	Up to and including GS 52 (1/4 inflorescence)
Oilseed rape	Up to and including 10% potential pods
Broad, dwarf French, field & runner bean	Up to and including first pod set
Combining & vining pea	Up to and including flat pod (non-edible pods only)
Edible podded pea	Up to and including pod set
Linseed	Up to and including 10% capsules formed
Forage maize	Up to and including tip of tassel visible
Sugar beet	Up to and including 6 fully expanded leaves
Potato	Up to and including tuber initiation
Brussels sprout	Up to and including lateral buds begin to develop
Cauliflower	Up to and including cauliflower heads begin to form; width of growing tip up to 1 cm <sup>2</sup>
Cucumber	Up to and including first fruit set
Lettuce	Varieties forming heads: up to and including heads begin to form. Varieties not forming heads: up to and including leaf rosette has reached 30% of the diameter typical for the variety
Tomato	Up to and including first fruit set on first truss
Apple & pear	Up to and including fruit 5-10 mm
Blackcurrant	Up to and including first visible green fruitlet
Cherry, plum, peach, almond, apricot	Up to and including first fruit set
Table & wine grapes	Up to and including first fruit set
Hops	Up to and including cone set
Raspberries	Up to and including first fruit set
Strawberries	Up to and including first fruit development

Activator 90 is approved for use with all approved pesticides on all edible crops provided that the statutory conditions of use for the pesticide are followed and that the pesticide is not used at more than 50% of the maximum approved rate for that application.

Activator 90 is also authorised for use with all approved pesticides on all non-edible crops provided that the statutory conditions of use for the pesticide are followed.

Activator 90 may also be used to reduce drift of sprays where this is a concern.

**For Specific Recommendations** contact De Sangosse Ltd or its appointed Distributors.





**DE SANGOSSE**

## Spray Enhancers

### Activator 90

**Rate of Use**

Maximum concentration of 0.1% dilution of the final water volume. For example 200 ml in 200 litres of water.

**Water Volume**

The water volume is governed by that stated on the partner pesticide label.

**Mixing Sequence**

Half fill the spray tank with water and commence agitation. Add the required quantity of Activator 90 then add the recommended quantity of pesticide. Continue agitation while topping up the tank and during spraying.

**Pack Size**

5 litres

